

# Essential Range.

The Stylish Flat Pack Kitchen Collection & Installation Guide.



**FREEDOM**  
KITCHENS

# Save with **ready to assemble.**



Welcome to style in the fast lane. The Essential Kitchen Range is our exciting collection of ready-to-assemble flat pack kitchens, perfect for those looking for a fast and affordable solution - without compromising style.

Offering exceptional value, at a range of affordable price points, you'll be delighted to receive your new flat pack kitchen ready for assembly and installation, just 10 working days after final payment.

**STYLISH. FAST. AFFORDABLE. ESSENTIAL.**





WHITE CATHERINE (D)

CAESARSTONE® NOBLE GREY (B)

\*Handles not included in the Essential Range





SAHARA (D)

CALACUTTA GREY (B)



5-F-08



CATHERINE WHITE SATIN (D)



CAESARSTONE® EMPIRA WHITE (B)



4 - F - 11





SLATE (D)

CORSICA GLOSS (B)



7-F-15





SLATE (D)

PARIS (D)

5-F-14



# Our process

## 6 steps to create your new kitchen.

### 1. Design appointment

One of our expert kitchen designers will visit you in your home to work through your measurements, style, needs and budget. You'll be shown colours and material swatches to make selections and receive on the spot pricing.

### 2. Deposit

Simply pay the 10% deposit to get started.

### 3. Site check

Once we receive all your appliance details a check measurer will come to your home to measure the site against the plans and chosen appliances, ensuring all details are accurate.

### 4. Progress payment

The site checker can collect payment of your 30% progress payment or payment can be made through our on-line portal.

### 5. Final plans and costing approval

After the progress payment is received, the final plans and price will be supplied for your sign-off. You can view your final plans and communicate with us at any time via 'my kitchen', our online communication portal.

### 6. Delivery

After final payment (60%) is made, you can expect your Essential Kitchen to be delivered to your door in 10 days. A beautiful new kitchen doesn't get any simpler than this!



# All in the details

## Essential Range kitchens have you covered.

### **All cabinets, laminated benchtops and selected doors are manufactured from moisture resistant material.**

High moisture resistant board provides maximum resistance to moisture. It prevents delaminating of surfaces, and cleaning is a breeze.

### **Hinges are clip on/clip off and adjustable.**

Easy to remove for cleaning or adjusting shelves, aligning is only two turns of a screwdriver (no need for a tradesman).

### **110 degree, 3 way adjustable metal hinges fitted to all cabinets.**

Enables better access to all cabinets and accurate door adjustment, and comes with a lifetime guarantee.

### **Australian made cabinets.**

Feel good knowing you will be buying a superior local product that meets our high Australian standards, supporting Australian jobs. Australian based means fast and effective service.

### **Pre drilled doors and drawer fronts.**

The Essential flatpack arrives ready to assemble, with pre drilling already done to save time and money. Ready, set, drill.

### **Soft close drawers as standard.**

You will be buying a superior local product. Full extension - allows full access to each drawer. Double metal sides and back. Ball bearing runners - allows automatic self-cleaning which ensures tracks are maintenance free. Soft close mechanism for smooth operation.

### **Solid 16mm bases on all drawer units.**

Able to support heavier loads, as well as long life construction.

### **Solid 16mm construction including back panel.**

Promotes stability of cabinetry and ease of installation.

### **Adjustable shelves.**

605h wall cabinets 2 adjustable + 1 fixed. 720h floor cabinets 2 adjustable + 1 fixed. 2064h pantry cabinets 5 adjustable + 1 fixed.

### **Dowel and screw construction.**

Provides maximum strength and durability with fully rigid cabinets.

### **Soft close doors as standard.**

Say goodbye to slamming, and hello to smooth and silent. Soft close doors add sophistication and extend the life of your kitchen, with less stress on the hinges over the years. Also an essential safety feature, they prevent fingers being slammed in doors.

### **1mm ABS edging.**

No old-fashioned tape edging here. Our ABS edging provides an impact resistant surface that won't chip or delaminate.

### **Wall cabinet height 605.**

Achieve a sleek handle-less look with our 592 door carcass and 605 door hanging.

### **Top of all floor cabinets have double vertical rails.**

Provides maximum strength and durability & supports the top side of the cabinetry.

### **Installation assistance.**

See the Installation Guide section of this booklet to give to your tradesperson for assembly and installation guidance. Further assistance is available if needed, simply call Freedom Kitchens.

### **Everything included to build cabinets in 1 box.**

Banish your fear of missing parts. Your Essential cabinets are boxed with an all in one fit.

### **Warranty.**

Your kitchen comes with a 7 year manufacturer's warranty on the laminate benchtops, and on all drawers and hinges. A 2 year manufacturer's warranty applies to kitchen accessories.

### **Flexible with your design.**

Whether your kitchen is big or small, we have cabinet sizes designed to suit. This flexibility allows for a wide range of options when designing your kitchen layout.

### **Adjustable commercial grade polymer legs.**

Fully waterproof, our adjustable legs give full support to the most uneven floor. Keeps cabinets away from moisture which could otherwise be transferred through the board. 140mm in height, pre-drilled locations for feet in cabinet base & click on kickboards.

### **All cabinets are fully lined and shelves front edged.**

Hygienic and easy cleaning, our ABS edging will not discolour or chip.

### **Appliances.**

See our range of InAlto appliances that will accommodate your Essential Range kitchen.

# Let's talk **Designer visit.**

Getting started is simple. Essential Range includes a free design consultation either at your home or in one of our showrooms with plans, at a time that suits you. Whether you're brimming with ideas or just lots of questions, we'll work with you to plan the perfect kitchen for your needs.



## **At your appointment, your designer will:**

- Discuss your needs and ideas around style and functionality
- Share the latest in international and local kitchen design trends
- Show you colour options and material swatches
- Measure your kitchen space and note any special requirements
- Provide on the spot pricing based on your kitchen preferences and discuss a range of finance options.

**When you're ready to go ahead, we'll start drawing up your kitchen plans, to make sure you're 100% happy with the final design.**




# A layout to love

## Making the most of your space.


### Get to know some classic kitchen layouts.

When you're planning a kitchen, keep in mind the 'Working Triangle'. It's the distance between the kitchen spaces you use most, such as the stove, sink and fridge areas. See which one works best for you.




#### The straight line

Pressed for room? This design makes the most of your bench space, making it ideal for apartments and smaller houses. Appliances are tucked away under the counter. Ample shelving sits above. It's compact, neat and yet roomy enough to accommodate even the most creative cook.




#### The galley

Want more workspace? Two long counters give you ample room for food prep, serving and storage. You have the option to add bar stools at one end of the island, creating a breakfast area for the kids or a space for guests to mingle in while you're busy in the kitchen.



#### The L-shape

Open plan area? This popular layout gives you bench space on two adjoining walls, freeing up room for a dining table or open-plan entertaining.




#### The U-shape


Loads of space? This layout gives you more bench space and cupboard storage. Ideal for larger rooms, bigger families and budding chefs who enjoy a larger bench area and want extra storage for kitchen gadgets.

# Stylish selections

## Cabinets & Doors.



SNOW



SAHARA



SLATE




LILY




JASPER




PARIS



CATHERINE



CATHERINE FRAME



LILY & JASPER FRAME



FROST ALUMINIUM FRAME



# Stylish selections

## Laminate Benchtops.



CALACUTTA GREY



PORTLAND STONE




GREY CEMENT MATERA



TUNISIA STONE



DARK CEMENT MATERA



ATHENA STONE MATERA



PRIME OAK MATT

# Finishing touches

## Handles & Accessories.

### Handles

The right handles will make all the difference in your new kitchen, completing the style you wish to achieve. Choose from our wide selection below:



4-F-04



4-F-10



4-F-07



4-F-08



4-F-06



4-F-09



4-F-13



4-F-11



4-F-12



4-F-05



5-F-10



5-F-12



5-F-08



5-F-09



5-F-11



5-F-13



5-F-14



5-F-15



7-F-15



7-F-16

### Accessories

Sometimes it's the things that you don't see which make the biggest difference to how well your kitchen works for you. Ask our designers about our range of accessories that will transform your space, including cutlery drawers, pull-out pantries, bins and lighting solutions.



# Cabinetry

## End panels and cavities.

### Panels

There are five types of panel you can install to give your new kitchen a clean finish. Each panel serves a different purpose.

#### Base end panel

Finishing exposed sides of base cabinets; or can be placed either side of the dishwasher cavity.

860(h) x 580(d)

#### Wall end panel

Finishing exposed sides of wall cabinets; used as filler panels (after cutting).

320(d) x 605/720(h)

720(h)/605(h) x 320(d)

#### Pantry end panel

Finishing exposed sides of pantry cabinets to create a fridge box (the sides of the fridge wall cabinet); used as filler panels.

For the benchtop to sit flush with the front of the pantry, allow a 20mm void between wall and pantry. Remember to move adjustable legs 20mm back so the kickboard lines up with the adjacent cabinet. Note the panel can be cut down in height if your preference is for the kickboard to run under, creating a streamline look.

2204(h) x 600(d)

#### Island back panel

Finishing the cabinet backs of an island bench.

860(h) x 1200(w)

#### Fillers

Filler panels are also included. Depending on your design, these can be cut down to suit a space where a void is required. These are provided as end panels and will need to be cut to suit the space

#### Kickboard

Hides adjustable feet of the base and pantry cabinets.

140(h) x 2400(w)

#### Tall units

When installing tall units, if you require a benchtop to sit flush you will need to pull it off the wall 20mm to align with your benchtops and end panels.

#### Dishwasher cavity

Leave a space of 605mm or more between two base cabinets.

#### Fridge cavity

If your fridge is adjacent to a wall, allow sufficient space for the fridge door to open fully. Use wall panel provided to make space wider if required.

You can also choose to mount an overhead fridge cabinet between two pantry end panels.


















#### Need assistance?

For further details, check out the cabinet matrix on the Freedom Kitchens website.

If you still need further assistance, please contact our Customer Service team on 1300 553 748  
[service@freedomkitchens.com.au](mailto:service@freedomkitchens.com.au)

# Important to know Appliances.

Your designer can offer a range of appliances to fit your Essential Range kitchen. Should you choose to keep your existing appliances or purchase elsewhere, they will need to fit the requirements below.

APPLIANCE	REQUIRED	MAX DIMENSIONS (MM)		APPLIANCE	REQUIRED	MAX DIMENSIONS (MM)	
600mm Slideout	Yes / No	Motor (Exact height required) 560w x 176h x 281d Fascia – 599w x 40h		60CM Undermount Rangehood	Yes / No	Cut out - 498w x 260d Rim - 600w x 296d	
900mm Slideout	Yes / No	Motor (Exact height required) 860w x 176h x 281d Fascia – 899w x 40h		90CM Undermount Rangehood	Yes / No	Cut out - 865w x 260d Rim - 900w x 296d	
600mm Canopy	Yes / No	600w		900mm Canopy	Yes / No	900w	
60cm Oven 1202 Wall Oven 720 Wall Oven	Yes / No	595w x 595h x 560d		60cm Double Oven	Yes / No	888h x 594w x 560d, Note: 1000h if no fascia panels used	
90cm Oven	Yes / No	895w x 590h x 552d Note: if using 2 Oven Fascia panels max oven height is 465h		Fridge	Yes / No	Fit within ..... wide space ..... high space	
600mm Cooktop	Yes / No	600w		900mm Cooktop	Yes / No	900w	
600mm Stove	Yes / No	600w		900mm Stove	Yes / No	900w	
Microwave (Floor cabinet)	Yes / No	568w x 584d Internal space. Note: Floor cabinet is not rear vented so convection or trim kit not recommended.		Sink	Yes / No	To suit ..... wide cabinet Note: Butler sink cannot be accommodated. Undermount sink for stone benchtops only (not laminate).	
Microwave (Wall Oven)	Yes / No	568w x 470h Internal space.		Dishwasher Space Dishwasher Integrated	Yes / No	870 x 600 Freestanding space 600w x 720h Integrated panel size only	

# Read this **Installation Guide.**



Read through this guide to get an overview of the installation process. It will give you an idea of the job that your qualified installer will be doing with your Essential Range kitchen, and the prep you will need to do before their first day on site. Also supply this Installation Guide to your tradesperson ahead of time, so they know what to expect.

**Lets get  
started.**

**FREEDOM  
KITCHENS**



# Before Installation.

You've put the finishing touches on your plan. You've chosen your appliances. And you can't wait to get to work on your new kitchen.

**But before you organise your installation, be aware of the process.**

## **Do your homework**

Kitchen installation requires a lot of prep, and it pays to understand the process before you lock in your trades. The best place to start is right here – reading this guide from front to back. If you're in doubt about anything, call us or contact a licensed professional.

## **Further assistance**

Our Customer Service team can point you in the right direction for assistance. Contact us on 1300 553 748 or [service@freedomkitchens.com.au](mailto:service@freedomkitchens.com.au)

## **Are your tradespeople qualified?**

Bumping out an old kitchen and installing a new one requires a certain level of skill. Any plumbing, gas and electrical work such as disconnecting a sink and installing cooktops and ovens, must be done by a qualified tradesperson. Make sure you use licensed electricians and plumbers who can supply you with a certificate of compliance. That way, you'll know the work meets Australian regulations and your insurance won't be at risk.

# Before installation

## Prep the space.

### Let's get prepping!

Review our pointers to prepare your kitchen area - you can do this part yourself or hire a tradesperson.

### Check the walls and floors for plumb and level

To properly install an Essential Range kitchen, your floors must be flat and level. If you find some areas that are significantly uneven, hire a professional tradesperson to fix these problem areas first. They'll let you know how much work is required.

#### Before you remove your old kitchen

- Make sure you've had the electricity, gas and water disconnected by a licensed professional.
- Hire a skip.
- When dismantling the old kitchen, remove the base cabinets and benchtops first. This makes it easier to take down the wall cabinets.
- Get a pull bar (or crowbar), hammer and screwdriver to make removal easier.

### Locating wall studs.

Be aware that your tradesperson will need to use your wall studs as anchor points for your base and wall cabinets, so make sure the walls are clear of hangings or clutter. To find the wall studs, they should use an electronic studfinder, which works on all kinds of walls.

# Installer's guide

## Check & measure the space.



### 1. Check the walls

Use a spirit level to check the walls. Mark any uneven spots or holes. When you mount the wall cabinets, you might need a packer to fill the gap so that the cabinet and wall line up straight. Wood or masonite pieces make ideal packers.




### 2. Check any right-angled corners

Use your set square to check what should be right-angled corners. If there's a gap between the wall and the set square greater than 6mm, you may need to call for professional assistance. If you have walls opposite each other, measure the distance between them at multiple points to check whether the walls are parallel.



### 3. Check the floor

Using your spirit level, check the parts of the floor where you plan on installing the base cabinets. Make a mark on the wall with a pen or pencil, indicating the highest and lowest sections of the floor.



### 4. Measure and mark

Refer to your kitchen plan and measure the position of your cabinets. Mark their location with a pen or pencil. This will help you work out how everything's going to fit together.



# Installer's guide

## The base and pantry cabinets.

### How to assemble the base and pantry cabinets

In each pack you'll find step-by-step instructions. Be sure to read them before you start, then follow each instruction to assemble the cabinets. If you get stuck at any point, call our customer service team during work hours Monday-Friday.



#### 1. Set the height

Earlier on, you marked the highest point of the kitchen floor (refer to Prepping your space, Step 3). Now mark the wall from that point at 860mm. Draw a level line from this new point to where you'll be putting in your base cabinets. This line will be used to see the heights of the cabinets.

##### Adjustable legs and uneven floors

Set your adjustable legs to a maximum of 140mm, as kickboards are 140mm high. If your floors are uneven, cut your kickboards to suit.

#### 2. Install the corner cabinet first

If your kitchen has a corner, start there. Position the cabinet and adjust the legs until the cabinet matches up with the line you marked out in Step One.

Check the position with a spirit level. If you have plaster walls, measure out from the corner to the wall studs and mark where they line up onto the base cabinet. You'll notice that the ends of the corner cabinet extend past the back panel. This is to take into account that your walls may not be square.

If your walls are not square, you can plane the end panels to ensure the front of the cabinet is square. If planing isn't required, there will be an insignificant gap between the wall and the cabinet.

If there's no corner cabinet in your kitchen design, then start with an end cabinet. Using a small drill bit (2-3mm), drill pilot holes into the cabinet at the points you have marked that line up.



#### 3. Levelling and securing the cabinets

Position the cabinet back into the corner, keeping it level. Using the supplied 60mm screws, fix the cabinet into the wall studs. Two screws should be enough to hold each cabinet in place. Check with the spirit level and if necessary, reposition the cabinet before moving on.

## TIP

**Save time, don't paint where your cabinets will be.**

#### Stuck on something?

Call us on 1300 553 748 or email [service@freedomkitchens.com.au](mailto:service@freedomkitchens.com.au)

# Installer's guide

## The base and pantry cabinets.



### 4. Securing the cabinets

As before, mark, drill and line up the cabinet and fix with screws. Temporarily fasten the cabinets together with clamps. Use the small drill bit to make two pilot holes in the inside of the cabinet, top and bottom as shown in the image. 30mm screws (supplied) can then be used to join the two cabinets together.



### 5. Preparing the base cabinet

The base cabinet that will contain the kitchen sink should be prepared prior to installing. Holes for water pipes and the drain can be cut in either the cabinet base or back panel. You can do this in one of two ways: you can either use a holesaw drill bit, or you can use a jigsaw.



### 6. Dishwasher cavity

If you're installing a dishwasher, make sure you leave enough space for this. The standard space in width is 600mm.



### 7. Attach the hinge and mounting plates

In the packs that came with each cabinet, you should find the hinge mounting plates. Press them into the pre-drilled hole, then tighten the screws.

## That's the base installation done.

# Installer's guide

## The wall cabinets.

### Assembling the wall cabinets

In each pack you'll find step-by-step instructions. Once again, read them before you start. Follow each instruction to assemble the cabinets.

#### 1. Set the height

Start by affixing a timber strip to the wall. The piece of timber needs to be about 18x90mm. This is going to give you an accurate guide for positioning and fixing the cabinets, and will even make it easier to hold them in place.

To find the correct position to put your timber strip, start by marking the wall 1344mm from the top of the base cabinets. Once you have your line marked, mark a second line below the first which will be the height of your wall cabinet (592/720). Fix your strip directly below the line ensuring you use the spirit level to check the strip is level. The strip is now the bottom line of your wall cabinets and will help support the cabinets during fitting. Your first line will also ensure your wall cabinets align with any pantries used.

##### An important number


Keep this in mind when setting the kitchen height. Australian regulations state that the distance between the bottom of your rangehood and the top of your cooktop must be a minimum of 600mm (electric) and 650mm (for glass).



#### 2. Start the corner

If your kitchen has one, it's really going to make the installation easier. If you have plaster walls, measure out from the corner to your marked studs, and then make the equivalent measurements on your assembled wall cabinet.

Then, using a 2-3mm drill bit make pilot holes at the marker points aligned with the wall studs.



#### 3. Secure the cabinet

Position the cabinet on top of the timber strip. Then, using the supplied 60mm screws, fix the cabinet into place. In most cases, the screws per cabinet should be enough. Check the cabinet's placement with the spirit level and if you need to, make any adjustments.

At all times use the spirit level to check the cabinets for plumb and level before securing the cabinet to the walls.




# Installer's guide

## The wall cabinets.

### 4. Rangehood

If installing an integrated box canopy into a cabinet, cut out the motor shape starting from the back, then raise the shelf to sit above the rangehood.



### 5. Hang the next cabinet

Now you have a process to follow, mark, drill and line up the cabinet, and fix with screws.

#### **If you use a slide-out rangehood cabinet**

You will need wall end panels either side. Also, remember the cabinet is shorter and should align with the other wall cabinets at the top.

### 6. Securing the cabinets

Temporarily fasten the cabinets together with clamps. Then, using a 2-3mm drill bit, drill two pilot holes from the inside of the cabinet out (one top and one at the bottom). Use the 30mm screw supplied to join the two cabinets together.

### 7. Repeat step 5

Repeat the process until you've installed all the cabinets, making sure to align each cabinet with the last one.

### 8. Attach the hinge and mounting plates

In the packs included with each cabinet, you should find the hinge mounting plates. Press them into the pre-drilled hole, then tighten the screws.

Take down the timber strip, and that's it. You should be looking at a set of correctly aligned and secured kitchen wall cabinets.

## That's the wall cabinets done.

# Installer's guide

## The benchtops and sink.

### Laminate benchtops

These instructions refer to the installation of the Essential Range kitchen laminate benchtops. If you're installing benchtops of a different type, consult the instructions supplied by their manufacturer.

#### 1. Cutting benchtops to fit (if needed)

If you've bought benchtop blanks and are cutting them to fit your kitchen then start by measuring and marking the benchtops, based on your kitchen cabinet measurements.

If space permits, you can choose to leave your benchtops with a slight over-hang (or line them flush with the end panels).

Your benchtops may need to be scribed to suit your walls to ensure your benchtops are parallel to the front of your cabinets.



#### 2. Position your benchtops

Make sure everything is straight before you start fixing them to the cabinets.

Screw the benchtops into place with the supplied 30mm screws. Screw up and through the front and back rail within the base panels (see image above).

If you have two benchtops meeting at a corner with a mitre cut join, benchtop connectors can be used to pull the tops together so you can fix them in place with screws.

Make sure your benchtops are joined before fixing to the cabinets



#### 3. Sink fitting

To help you fit the sink into place, you will have been provided with a sink template to mark out the area to cut. The template is slightly smaller than the actual sink, both to stop the sink from pulling through the bench and to hide the cut by allowing the edges of the sink to sit over it.

Once you have marked out the cutting space using your template, take a drill with a 10mm bit and make a hole somewhere within the area. From that hole, slowly cut out the required shape with a jigsaw.

From there it's just a matter of fitting the sink into place with the supplied clips and tape. If you need to make any adjustments, make them before tightening the clips.



#### 4. Cooktop fitting

This process will be almost exactly the same as the way you installed the sink, making your cut based on the template or instructions that have been supplied with your cooktop. Take your time when using the jigsaw to ensure an even cut.

And that's your benchtops, sink and cooktop installed. Only the finishing touches to go.

NB: The front and back rails will need to be cut before fitting your sink and cooktop.

# Preparing for **Stone benchtops.**

When you order stone benchtops for your Essential Range kitchen we request that you follow the guidelines below to ensure that the benchtop supplier can correctly install your new benchtop ensuring the stone warranty will apply to your tops. A fabricator will visit your home to measure once the kitchen cabinetry has been installed.

- The top of cabinets need to be level; special attention is required if stone tops meet window areas to ensure tops will fit in these areas.
- Cabinetry should be installed so that the front of cabinetry is in a straight line and square at any corners if an L-shape kitchen.
- All cabinets need to be fixed to adjacent cabinets and to walls or the floor securely prior to stone templating.
- All panels, fillers and doors need to be fitted to cabinetry prior to stone templating.
- Sinks and hotplates need to be on site and checked for fit in cabinetry any adjustment required should be done. Your sink and hotplate position will be recorded at stone templating; note that a minimum distance of 50mm from edge of stone to any cut out is required.
- Please ensure that openings for upright stoves or dishwashers are correct and that cupboards are in a straight line across these openings.
- Any void areas may need cleats on walls to support and carry stone tops; these will need to be fitted level with cabinetry prior to stone templating.
- Any appliance or other type of cupboard that sits on top of the stone tops should be left off, and installed after the stone tops go in.
- If the above points are not met the site checker will explain to you the issues and why site check cannot happen on that day. This will incur another site check fee once adjustments have been made.
- Installation of your stone benchtop will occur 10 days from check measure.

## That's the benchtops done.



# Installer's guide

## Finishing the kitchen.


### Nearly there

You've covered the hard work - well done! Now it's time to move to the finishing and fitting steps of the installation process. In this section, we detail how to install the kickboards and handles plus we share some tips for installing other items, including doors.

Some of these items will have been supplied with their own instructions, but if you misplace the instructions, or get stuck at any point, please call/email our customer service team during work hours Monday-Friday on 1300 553 748 or [service@freedomkitchens.com.au](mailto:service@freedomkitchens.com.au).

### Accessories, doors and drawer fronts

Install any accessories before installing the doors and drawer fronts. These could be items like pull out bins, tea towel holders, and soft close fittings for doors and drawers. Door and drawer front installation instructions will have been supplied as a separate document to this one. Refer to them for installation guidelines. While installing doors, leave the protective film on the doors. Remove it after drilling the holes for the handles/knobs.



# Installer's guide

## Finishing the kitchen.

### Installing kickboards



#### 1. Measure and cut

You may need to cut the kickboards to suit your cabinet widths and height or the lie of the floor. Kickboards are 140mm high, so measure the height of the adjustable legs (including the glide) and if necessary, scribe your kickboards to ensure a snug fit.



#### 2. Faster and press

Adjustable leg clips will have been supplied in the hardware packs. Position these in line with the cabinets' leg and then screw these to the kickboards. Once all the clips are securely fastened, line the kickboard up and press them into place.

### Installing handles & knobs



#### 2. Mark the position

Use your handle template for quick installation, if not take your tape measure and measure from the top of the door or drawer to where you want the first hole. Mark with a horizontal line and then repeat with the second hole.

Make sure these marks line up with the exact centre of where the hole needs to be.

With your set square mark the measurement from the edge of the door. Run your set square down to your marked handle position of the holes. When done correctly, the horizontal and vertical marks should intersect at the exact drilling point.



#### 3. Drill and fix into position

Double check your measurements before you begin. Use a small drill bit, only slightly larger than the screws, to make the hole then screw handles into place with a screwdriver. Repeat until all handles are fixed into place.

Make any adjustments to the alignment according to the assembly instructions included with your door and drawers.

#### 1. Find the ideal position

Handle positioning is largely a personal preference. Some like their handles vertical, whilst others prefer them horizontal.

# Let's go Take the next step.



## Book your free kitchen design appointment now **1800 113 733**

A kitchen designer will visit you in your home, at a time that suits you, including after hours or on the weekend. During your appointment your kitchen designer will:

- Measure your kitchen
- Discuss your style, needs and budget
- Show you colours and material swatches
- Provide on the spot pricing, special offers and interest free finance options.

## Ask about our 36 month interest free offer!\*

Apply for interest free finance online before you plan your kitchen and enjoy:

- Rapid approval — standard applications can be made during the design appointment
- Flexibility – borrow up to \$30,000
- 24/7 online account access

\*Annual fee and T&Cs apply.



# Showroom Locations.

For more information or to book your design appointment, visit our website or call 1800 113 733.

## NSW

### Balgowlah

247-249 Condamine St  
NSW 2093  
Ph: (02) 8006 5547

### Belrose

#### Under Renovation

Homemaker SupaCenta  
Cnr Mona Vale Rd & Forest Way  
NSW 2084  
Ph: (02) 8006 5504

### Caringbah

Caringbah Home  
220 Taren Point Rd  
NSW 2229  
Ph: (02) 8559 0120

### Castle Hill

Home Hub Castle Hill  
Cnr Showground Rd & Victoria Ave  
Ph: (02) 8806 3215

### Kotara

#### Wardrobe Display

Kotara Home Centre  
150 Park Avenue  
Ph: (02) 4001 0941

### Moore Park

#### Wardrobe Display

SupaCenta  
Cnr Todman Ave & Sth Dowling St  
Ph: (02) 8006 5545

### West Gosford

#### Wardrobe Display

392 Manns Road  
West Gosford  
NSW 2250  
Ph: (02) 4304 5717

## VIC

### Essendon

#### Wardrobe Display

Essendon Homemaker Hub  
120 Bulla Road  
VIC 3040  
Ph: (03) 9005 2201

### Frankston

Tenancy S8 & S9  
Frankston Power Centre  
111 Cranbourne Road  
VIC 3199  
Ph: (03) 8797 0253

### Geelong

Geelong Gate Home Maker Centre  
470-510 princess Hwy  
VIC 3214  
Ph: (03) 5215 0476

### Moorabbin

1000 Nepean Highway  
VIC 3189  
Ph: (03) 9005 2235

### Nunawading

#### Wardrobe Display

260 Whitehorse Road  
VIC 3131  
Ph: (03) 8833 7223

### Richmond

Victoria Gardens Shopping Centre  
620 Victoria Street  
VIC 3121  
Ph: (03) 9005 2199

## QLD

### Aspley

#### Wardrobe Display

Homemaker City  
815 Zillmere Rd  
QLD 4034  
Ph: (07) 3102 2541

### Jindalee

Jindalee Home  
34 Goggs Road  
QLD 4074  
Ph: (07) 3376 1775

### Southport

#### Wardrobe Display

The Brick Works,  
Cnr Harvest Crt & Ferry Rd  
QLD 4215  
Ph: (07) 5551 0283

### Windsor

#### Wardrobe Display

The Windsor Centre  
Cnr Lutwyche Rd &  
Newmarket Rd  
QLD 4030  
Ph: (07) 3077 6943

Kitchens made easy,  
we come to you.

# 1800 113 733

[freedomkitchens.com.au](http://freedomkitchens.com.au)

# FREEDOM KITCHENS